



# Datos mecánicos


## Carcasas 63 a 132M/L




## Carcasas 160M a 200L



## Carcasa 225S/M a 355M/



## Carcasa 355A/B




| Carcasa | A   | AA   | AB  | AC  | AD  | AD' (**) | B       | BA  | BB    | BD  | C       | CA      | Eje   |       |      |      |      |     |       |      |      |     |      |      |
|---------|-----|------|-----|-----|-----|----------|---------|-----|-------|-----|---------|---------|-------|-------|------|------|------|-----|-------|------|------|-----|------|------|
|         |     |      |     |     |     |          |         |     |       |     |         |         | D     | DA    | E    | EA   | ES   | F   | FA    | G    | GB   | GD  | GF   | TS   |
| 63      | 100 | 25.5 | 116 | 125 | 122 | 122      | 80      |     | 95    |     | 40      | 78      | 11j6  | 9j6   | 23   | 20   | 14   | 4   | 3     | 8.5  | 7.2  | 4   | 3    | 12   |
| 71      | 112 | 28.5 | 132 | 141 | 130 | 130      | 90      |     | 113.5 |     | 45      | 88      | 14j6  | 11j6  | 30   | 23   | 18   | 5   | 4     | 11   | 8.5  | 5   | 4    | 14   |
| 80      | 125 | 30.5 | 149 | 159 | 139 | 139      | 100     |     | 125.5 |     | 50      | 93      | 19j6  | 14j6  | 40   | 30   | 28   | 6   | 5     | 15.5 | 11   | 6   | 5    | 18   |
| L80     |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 90S     | 140 | 36.5 | 164 | 179 | 157 | 157      | 125     |     | 131   |     | 56      | 104     | 24j6  | 16j6  | 50   | 40   | 36   | 8   | 6     | 20   | 13   | 7   | 6    | 28   |
| L90S    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 90L     |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| L90L    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 100L    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| L100L   |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 112M    | 190 | 40.5 | 220 | 222 | 192 | 192      | 140     |     | 177   |     | 63      | 118     | 28j6  | 22j6  | 60   | 50   | 45   | 8   | 6     | 24   | 18.5 | 7   | 6    | 36   |
| L112M   |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 132S    | 216 | 51   | 248 | 271 | 218 | 218      | 178     |     | 187   |     | 89      | 150     | 38k6  | 28j6  | 80   | 60   | 63   | 10  | 8     | 33   | 24   | 8   | 7    | 45   |
| 132M    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 132M/L  | 254 | 64   | 308 | 329 | 264 | 264      | 210     | 63  | 254   |     | 108     | 174     | 42k6  | 42k6  | 110  | 110  | 80   | 12  | 12    | 37   | 37   | 8   | 8    | 80   |
| 160M    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 160L    | 279 | 78   | 350 | 360 | 279 | 279      | 241     | 70  | 294   |     | 121     | 200     | 48k6  | 48k6  | 110  | 110  | 80   | 14  | 14    | 42.5 | 42.5 | 9   | 9    | 80   |
| 180M    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 180L    | 318 | 82   | 385 | 402 | 317 | 317      | 267     | 82  | 332   |     | 133     | 222     | 55m6  | 55m6  | 110* | 110* | 80   | 16  | 16    | 49*  | 49*  | 10  | 10   | 100* |
| 200M    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 200L    | 356 | 80   | 436 | 455 | 408 | 384      | 286/311 | 124 | 412   | 41  | 149     | 319/294 | 55m6* | 55m6* | 110* | 110* | 100* | 16* | 16*   | 49*  | 49*  | 10* | 10*  | 100* |
| 225S/M  |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 250S/M  | 406 | 100  | 506 | 486 | 402 | 311/349  | 146     | 467 | 59    | 168 | 354/316 | 60m6*   | 60m6* | 140*  | 140* | 125* | 18*  | 18* | 53*   | 53*  | 11*  | 11* | 125* |      |
| 280S/M  |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 280S/M  | 457 | 557  | 599 | 442 | 472 | 368/419  | 151     | 517 | 49    | 190 | 385/334 | 65m6*   | 60m6* | 140*  | 140* | 125* | 18*  | 18* | 58*   | 58*  | 11*  | 11* | 125* |      |
| 315S/M  |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 315S/M  | 508 | 120  | 630 | 657 | 525 | 530      | 406/457 | 184 | 621   | 70  | 494/443 | 65m6*   | 60m6* | 140*  | 140* | 125* | 18*  | 18* | 58*   | 53*  | 11*  | 11* | 125* |      |
| 315L    |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 315L    | 508 | 120  | 630 | 657 | 589 | 575      | 508     | 219 | 752   | 81  | 497     | 80m6    | 65m6  | 170   | 140  | 160  | 22   | 18  | 71    | 58   | 14   | 14  | 125* |      |
| 355M/L  |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 355M/L  | 610 | 140  | 750 | 736 | 609 | 625      | 560/630 | 230 | 760   | 65  | 483/413 | 75m6*   | 60m6* | 140*  | 140* | 125* | 20*  | 18* | 67.5* | 53*  | 12*  | 11* | 125* |      |
| 355A/B  |     |      |     |     |     |          |         |     |       |     |         |         |       |       |      |      |      |     |       |      |      |     |      |      |
| 355A/B  | 610 | 140  | 750 | 736 | 701 | 755      | 710/800 | 325 | 955   | 70  | 528/438 | 100m6   | 80m6  | 210   | 170  | 200  | 28   | 22  | 90    | 71   | 16   | 14  | 160  |      |

| Carcasa | H   | HA | HB   | HC  | HD  | HF   | HG  | HH          | HK  | K    | L     | LC    | LL  | LM  | S1        | d1  | d2  | Rodamientos |             |
|---------|-----|----|------|-----|-----|------|-----|-------------|-----|------|-------|-------|-----|-----|-----------|-----|-----|-------------|-------------|
|         |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     | D.E.        | N.D.E.      |
| 63      | 63  | 7  | 25.5 | 129 |     | 68.5 |     | 80          | 59  | 7    | 216   | 241   | 108 | 98  | 2xM20x1.5 | M4  | M3  | 6201 - ZZ   |             |
| 71      | 71  |    | 33   | 145 |     | 76   |     | 90          |     |      | 248   | 276   |     |     |           | M5  | M4  | 6202 - ZZ   |             |
| 80      | 80  | 8  | 43.5 | 163 |     | 87   |     | 100         | 67  | 10   | 276   | 313   | 115 | 104 | 2xM25x1.5 | M8  | M6  | 6204 - ZZ   | 6203 - ZZ   |
| L80     |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 90S     | 90  | 9  | 45   | 182 |     | 90   |     | 106         | 79  | 12   | 304   | 350   | 140 | 133 | 2xM32x1.5 | M12 | M10 | 6308 - ZZ   | 6207 - ZZ   |
| L90S    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 90L     |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| L90L    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 100L    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| L100L   |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 112M    | 112 | 10 | 54.5 | 235 | 280 | 112  |     | 140         | 100 | 14.5 | 393   | 448   | 198 | 188 | 2xM40x1.5 | M16 | M16 | 6309 - C3   | 6209 - Z-C3 |
| L112M   |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 132S    | 132 | 20 | 75   | 266 | 319 | 132  |     | 159         | 118 | 18.5 | 423   | 478   | 228 | 217 | 2xM50x1.5 | M20 | M20 | 6312 C3     | 6212 Z-C3   |
| 132M    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 132M/L  | 160 | 22 | 79   | 327 | 374 | 168  |     | 178         | 143 | 24   | 490   | 557   | 261 | 292 | 2xM63x1.5 | M24 | M24 | 6314 - C3   | 6314 - C3   |
| 160M    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 160L    | 180 | 28 | 92   | 363 | 413 | 180  |     | 213         | 177 | 28   | 598   | 712   | 404 | 438 | 2xM63x1.5 | M24 | M24 | 6316 - C3   | 6316 - C3   |
| 180M    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 180L    | 200 | 30 | 119  | 405 | 464 | 218  |     | 235         | 145 | 24   | 642   | 756   | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6319 - C3   | 6319 - C3   |
| 200M    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 200L    | 225 | 34 | 255  | 453 | 550 | 403  | 523 | 212         | 143 | 24   | 664   | 782   | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 225S/M  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 250S/M  | 250 | 43 | 290  | 493 | 583 | 449  | 566 | 214         | 145 | 24   | 702   | 820   | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 280S/M  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 280S/M  | 280 | 42 | 383  | 580 | 696 | 556  | 686 | 266         | 145 | 24   | 729   | 842   | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 315S/M  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 315S/M  | 315 | 48 | 386  | 664 | 768 | 615  | 744 | 264         | 177 | 28   | 767   | 880   | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 315L    |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 315L    | 315 | 48 | 336  | 774 | 575 | 760  | 284 | 215         | 145 | 28   | 856*  | 974*  | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 355M/L  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 355M/L  | 355 | 50 | 461  | 723 | 898 | 700  | 885 | 340         | 145 | 28   | 886   | 1034  | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 355A/B  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |
| 355A/B  | 355 | 50 | 154  | 885 | 665 | 847  | 340 | 318 / 355** | 145 | 28   | 1412* | 1577* | 443 | 730 | 2xM63x1.5 | M24 | M24 | 6322 - C3   | 6319 - C3   |
| 355A/B  |     |    |      |     |     |      |     |             |     |      |       |       |     |     |           |     |     |             |             |

(\*) Dimensión aplicable para motores 2 polos


(\*\*) Dimensión utilizada solamente en formas constructivas con la caja en el tope

### Brida "FF"




| Brida "FF" |        |    |     |     |     |    |     |          |                |
|------------|--------|----|-----|-----|-----|----|-----|----------|----------------|
| Carcasa    | Brida  | LA | M   | N   | P   | S  | T   | $\alpha$ | N° de agujeros |
| 63         | FF-115 | 9  | 115 | 95  | 140 | 10 | 3   | 45°      | 4              |
| 71         | FF-130 |    | 130 | 110 | 160 |    | 3,5 |          |                |
| 80         | FF-165 | 10 | 165 | 130 | 200 | 12 | 3,5 |          |                |
| 90         |        |    |     |     |     |    |     |          |                |
| 100        | FF-215 | 11 | 215 | 180 | 250 | 15 | 4   |          |                |
| 112        |        |    |     |     |     |    |     |          |                |
| 132        | FF-265 | 12 | 265 | 230 | 300 | 19 | 5   |          |                |
| 160        | FF-300 | 18 | 300 | 250 | 350 | 19 | 5   |          |                |
| 180        |        |    |     |     |     |    |     |          |                |
| 200        | FF-350 | 18 | 350 | 300 | 400 | 19 | 5   |          |                |
| 225        | FF-400 | 18 | 400 | 350 | 450 | 19 | 5   | 22°30'   | 8              |
| 250        | FF-500 | 18 | 500 | 450 | 550 | 19 | 5   |          |                |
| 280        |        |    |     |     |     |    |     |          |                |
| 315        | FF-600 | 22 | 600 | 550 | 660 | 24 | 6   |          |                |
| 355        | FF-740 | 22 | 740 | 680 | 800 | 24 | 6   |          |                |

### Brida "C-DIN"




| Carcasa | Brida | M   | N   | P   | S   | T   | $\alpha$ | N° de agujeros |
|---------|-------|-----|-----|-----|-----|-----|----------|----------------|
| 63      | C-90  | 75  | 60  | 90  | M5  | 2,5 | 45°      | 4              |
| 71      | C-105 | 85  | 70  | 105 | M6  |     |          |                |
| 80      | C-120 | 100 | 80  | 120 |     | M8  |          |                |
| 90      | C-140 | 115 | 95  | 140 | M8  |     |          |                |
| 100     | C-160 | 130 | 110 | 160 |     | M10 |          |                |
| 112     |       |     |     |     |     |     |          |                |
| 132     | C-200 | 165 | 130 | 200 | M10 | 3,5 |          |                |

### Brida "NEMA C"



| Brida "C" |        |       |       |     |             |     |          |                |  |
|-----------|--------|-------|-------|-----|-------------|-----|----------|----------------|--|
| Carcasa   | Brida  | M     | N     | P   | S           | T   | $\alpha$ | N° de agujeros |  |
| 63        | FC-95  | 95,2  | 76,2  | 143 | UNC 1/4"x20 | 4   | 45°      | 4              |  |
| 71        |        |       |       |     |             |     |          |                |  |
| 80        |        |       |       |     |             |     |          |                |  |
| 90        | FC-149 | 149,2 | 114,3 | 165 | UNC 3/8"x16 |     |          |                |  |
| 100       |        |       |       |     |             |     |          |                |  |
| 112       | FC-184 | 184,2 | 215,9 | 225 | UNC 1/2"x13 | 6,3 |          |                |  |
| 132       |        |       |       |     |             |     |          |                |  |
| 160       | FC-228 | 228,6 | 266,7 | 280 | UNC 5/8"x11 | 6,3 | 22°30'   | 8              |  |
| 180       |        |       |       |     |             |     |          |                |  |
| 200       |        |       |       |     |             |     |          |                |  |
| 225       | FC-279 | 279,4 | 317,5 | 395 | 455         | 6,3 | 22°30'   | 8              |  |
| 250       | FC-355 | 355,6 | 406,4 | 455 |             |     |          |                |  |
| 280       |        |       |       |     |             |     |          |                |  |
| 315       | FC-368 | 368,3 | 419,1 | 455 |             |     |          |                |  |
| 355       |        |       |       |     |             |     |          |                |  |

## Datos mecánicos de la caja de conexiones



| Carcasa | A   | B    | C     | D    | E     | F     | G   | H    | I   | J         | K        | L        | M  | N   | O   | P   | Q    | R    | S        | T  | U    |
|---------|-----|------|-------|------|-------|-------|-----|------|-----|-----------|----------|----------|----|-----|-----|-----|------|------|----------|----|------|
| 63      |     |      |       |      |       |       |     |      |     |           |          |          |    |     |     |     |      |      |          |    |      |
| 71      | 90  | 3,5  | 108,5 | 51,5 | 59    | 96    | 85  | 27   |     | 2xM20x1,5 | M5x0,8   | M5x0,8   | 16 | 75  | 16  | 35  | 13,5 | 12   | M4x0,7   | 20 | 5,8  |
| 80      |     |      |       |      |       |       |     |      | 42  |           |          |          |    |     |     |     |      |      |          |    |      |
| 90      | 98  | 3    | 114,5 | 59,5 | 67    | 101   | 91  | 31   |     | 2xM25x1,5 |          |          |    |     |     |     |      |      |          |    |      |
| 100     |     |      |       |      |       |       |     |      |     |           |          |          |    |     |     |     |      |      |          |    |      |
| 112     | 117 | 2,5  | 138   | 71   | 80    | 130,5 | 117 | 36,5 | 54  | 2xM32x1,5 | M6x1,0   | M6x1,0   | 23 | 55  | 23  | 52  | 17   | 16   | M5x0,8   | 23 | 6,5  |
| 132     |     |      |       |      |       |       |     |      |     |           |          |          |    |     |     |     |      |      |          |    |      |
| 160     | 175 | 4    | 198   | 90   | 100,5 | 187,5 | 175 | 49   | 84  | 2xM40x1,5 | M8x1,25  | M8x1,25  | 28 | 90  | 28  | 60  | 21,5 | 20,5 | M6x1     | 28 | 6,6  |
| 180     |     |      |       |      |       |       |     |      |     |           |          |          |    |     |     |     |      |      |          |    |      |
| 200     | 204 | 4,5  | 228   | 107  | 118   | 216   | 204 | 59   | 94  | 2xM50x1,5 |          |          | 35 | 112 | 35  | 74  | 24   | 24   | M8x1,25  | 35 | 9,5  |
| 225     |     |      |       |      |       |       |     |      |     |           |          |          |    |     |     |     |      |      |          |    |      |
| 250     | 235 | 12,5 | 269   | 133  | 153   | 301   | 260 | 71   | 110 |           | M10x1,5  | M10x1,5  | 44 | 140 | 44  | 94  | 28   | 28   | M10x1,5  |    |      |
| 280     | 275 | 13,5 | 314   |      |       | 311   | 275 |      | 126 |           |          |          |    |     |     |     |      |      |          | 45 |      |
| 315S/M  | 340 |      | 379   | 162  | 182   | 390   | 345 | 78   | 160 |           | M12x1,75 | M12x1,75 | 45 | 153 | 45  | 108 | 34   | 40   | M12x1,75 |    |      |
| 315L    |     | 14,5 |       |      |       |       |     |      |     | 2xM63x1,5 |          |          |    |     |     |     |      |      |          |    | 10,5 |
| 355M/L  | 365 |      | 404   | 202  | 226   | 422   | 390 | 97   | 200 |           | M14x2,0  | M14x2,0  | 65 | 210 | 65  | 146 | 48   | 48   | M16x2,0  | 65 |      |
| 355A/B  | 415 | -    | 442   | 267  | 353   | 729   | 678 | 187  | 140 |           | M10x1,5  | M12x1,75 | 80 | -   | 105 | -   | -    | -    | M20x2,5  | -  | -    |

| Carcasa | V       | X   | Y                      | Z                      | AA  | BA  | CA  | DA  | EA      | FA | GA  | HA      | IA  | JA                     | KA      | Cantidad de conectores |            |                            |   |   |    |
|---------|---------|-----|------------------------|------------------------|-----|-----|-----|-----|---------|----|-----|---------|-----|------------------------|---------|------------------------|------------|----------------------------|---|---|----|
|         |         |     |                        |                        |     |     |     |     |         |    |     |         |     |                        |         | Principal              | Accesorios | Resistencia de calefacción |   |   |    |
| 63      |         |     | 77                     |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 71      |         |     | 78                     |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 80      | M5x0,8  | 56  | 81                     | 0,5-6 mm <sup>2</sup>  | 109 | 90  | 85  | 98  | M20x1,5 | -  | -   | -       | -   | -                      | -       | -                      | 4          | 16                         | - | - |    |
| 90      |         |     | 77                     |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 100     |         |     | 81                     |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 112     |         |     | 107                    |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 132     |         |     | 103                    |                        |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |
| 160     | M6x1,0  | 110 | 140                    | 5,2-25 mm <sup>2</sup> | 139 | 117 | 117 | 133 | M20x1,5 | 68 | 131 | M20x1,5 | 47  | 40                     | M20x1,5 | 12                     | 26         | 4                          | - | - |    |
| 180     |         |     | 155                    |                        |     |     |     |     |         |    |     |         | 47  | 45                     |         |                        |            |                            |   |   |    |
| 200     | M10x1,5 | 120 | 155                    | 25-50 mm <sup>2</sup>  | 198 | 175 | 175 | 189 | M20x1,5 | 68 | 131 | M20x1,5 | 62  | 48                     | M20x1,5 | 16                     | 26         | 4                          | - | - |    |
| 225     |         |     | 192                    |                        |     |     |     |     |         |    |     |         | 77  | 56                     |         |                        |            |                            |   |   |    |
| 250     |         |     | 150                    |                        |     |     |     |     |         |    |     |         | 197 | 77                     |         |                        |            |                            |   |   | 56 |
| 280     |         |     | 204                    |                        |     |     |     |     |         |    |     |         | 82  | 69                     |         |                        |            |                            |   |   |    |
| 315S/M  |         |     | 200                    |                        |     |     |     |     |         |    |     |         | 260 | 97                     |         |                        |            |                            |   |   | 79 |
| 315L    | 260     | 300 | 85-120 mm <sup>2</sup> | 50-70 mm <sup>2</sup>  | 198 | 175 | 175 | 189 | M20x1,5 | 68 | 131 | M20x1,5 | -   | -                      | M20x1,5 | -                      | 26         | 4                          | - | - |    |
| 355M/L  |         |     | 260                    |                        |     |     |     |     |         |    |     |         | 300 | 85-120 mm <sup>2</sup> |         |                        |            |                            |   |   |    |
| 355A/B  | -       | 290 |                        | 50-70 mm <sup>2</sup>  |     |     |     |     |         |    |     |         |     |                        |         |                        |            |                            |   |   |    |